

## Giganet Floor Standing Outdoor Cabinet

Reliable 19" international internal allocation. Front single solid metal door with handle lock, AC Fixed on side panel.

### PRODUCT INFORMATION

#### Features and Benefits

- Enhance door hinges with 130 degrees operation angle
- Double wall structure for cabinet body
- Rear single solid metal panel
- Ventilation:1500W air conditioner
- Cable entrance at bottom panel 200mm with base
- Varies specification upon customers' special requirements
- Width: 600mm,Depth:800mm
- Application method:floor standing by base
- Standard and Material:  
Comply with ANSI/  
EIA,RS-310-;IEC297-2;DIN41491:PART1;DIN41494:PART7;GB  
/T3047. 2-92 and ETSI standard  
Surface Finish:Degrease,acid pickling,rust prevention and  
parkerizing,pure water cleaning,static electricity powder coating  
Material:Galvanized steel  
Thickness:Mounting profile:2.0mm,others: 1.50mm  
Color:Body color:RAL5012(Top cover and base);RAL7035(The  
others)



**Note:We will supply mounting kits/bottom base which will be used for fixing cabinet on the wall/ pole and floor.**

Description	Standard Accessories	Packing	Volume
IP54 outdoor floor standing outdoor cabinet galvanized steel material, 1.5mm thickness,double layers body design,2pc fixed shelves,bottom cover with cable entries,200mm height bottom plinth,the 1500W AC is fixed on the side panel,,front and back hinged door opened,top cover is slopping	<ul style="list-style-type: none"> <li>• 1pc 1500W air conditioner,AC type,mounted on the side panel</li> <li>• Mounting kits on the floor 200mm height bottom plinth</li> <li>• Earthing bolts and wire</li> <li>• 2pc fixed shelves</li> <li>• Temperature sensor</li> </ul>	Carton Box + Wooden Pallet	0.465cbm



**Front Door View**

**Back View**


**Side Panel**



**Inside View  
Zinc Plated 19" Rails**



**Dust-proof Metal Cover**



**Ventilation Panel**



**Copper Earthing Bar**



**Copper Earthing Bar**



**AC**

**Pallet package**

**Parameters**

Item	600/800 wide	Materials	Treatment	Note
Frame	2	1.5mm Galvanized steel	Powder coating	
Front Door	1	Solid galvanized steel	\	single/double wall type
Side Door	0	\	\	
Back Door	1	galvanized steel 1.5mm	\	single/double wall type
Lock	2	\	\	Handle Lock
Top cover	1	1.5mm Galvanized steel	Powder coating	
Rear door panel	1	1.5mm Galvanized steel	Powder coating	Optional open
Ac fan	2/4	\	\	Optional
Bottom panel	1	Galvanized steel T=2.0	Powder coating	
Mounting angle	2	Galvanized steel T=1.5	Powder coating	
19inch rails	4	Galvanized steel T=2.0	Powder coating	

**PRODUCT INFORMATION**

Part Number	Product Description
GN-OD-AC-6812U	Giganet 12U Width 600mm Depth 800mm IP55 with AC Outdoor Floor Standing Cabinet
GN-OD-AC-6815U	Giganet 15U Width 600mm Depth 800mm IP55 with AC Outdoor Floor Standing Cabinet
GN-OD-AC-6818U	Giganet 18U Width 600mm Depth 800mm IP55 with AC Outdoor Floor Standing Cabinet
GN-OD-AC-6822U	Giganet 22U Width 600mm Depth 800mm IP55 with AC Outdoor Floor Standing Cabinet
GN-OD-AC-6827U	Giganet 27U Width 600mm Depth 800mm IP55 with AC Outdoor Floor Standing Cabinet
GN-OD-AC-6832U	Giganet 32U Width 600mm Depth 800mm IP55 with AC Outdoor Floor Standing Cabinet
GN-OD-AC-6837U	Giganet 37U Width 600mm Depth 800mm IP55 with AC Outdoor Floor Standing Cabinet